

# Package ‘RCTrep’

November 2, 2023

**Type** Package

**Title** Validation of Estimates of Treatment Effects in Observational Data

**Version** 1.2.0

**Author** Lingjie Shen [aut, cre, cph],  
Gijs Geleijnse [aut],  
Maurits Kaptein [aut]

**Maintainer** Lingjie Shen <lingjieshen66@gmail.com>

**Description** Validates estimates of (conditional) average treatment effects obtained using observational data by a) making it easy to obtain and visualize estimates derived using a large variety of methods (G-computation, inverse propensity score weighting, etc.), and b) ensuring that estimates are easily compared to a gold standard (i.e., estimates derived from randomized controlled trials). 'RCTrep' offers a generic protocol for treatment effect validation based on four simple steps, namely, set-selection, estimation, diagnosis, and validation. 'RCTrep' provides a simple dashboard to review the obtained results. The validation approach is introduced by Shen, L., Geleijnse, G. and Kaptein, M. (2023) <doi:10.21203/rs.3.rs-2559287/v2>.

**License** MIT + file LICENSE

**URL** <https://github.com/duolajiang/RCTrep>

**Encoding** UTF-8

**LazyData** true

**Imports** mvtnorm, MatchIt, ggplot2, ggpubr, PSweight, numDeriv, R6,  
dplyr, geex, BART, fastDummies, tidyr, copula, shiny,  
shinydashboard, glue, stats, utils, caret

**Suggests** rmarkdown, knitr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**RoxygenNote** 7.2.3

**VignetteBuilder** knitr

**Depends** R (>= 2.10), base

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-11-02 14:40:02 UTC

## R topics documented:

call_dashboard . . . . .	2
DGM . . . . .	3
Fusion . . . . .	4
GenerateSyntheticData . . . . .	6
quasar.agg . . . . .	7
quasar.obj . . . . .	7
quasar.synthetic . . . . .	8
RCTREP . . . . .	8
SEstimator_wrapper . . . . .	11
source.binary.data . . . . .	13
source.data . . . . .	13
target.binary.data . . . . .	14
target.data . . . . .	15
TEstimator_wrapper . . . . .	15

<b>Index</b>	<b>18</b>
--------------	-----------

---

call_dashboard	<i>Visualizing validation results according to four steps, namely, set-selection, estimation, diagnosis, and validation</i>
----------------	---

---

### Description

Visualizing validation results according to four steps, namely, set-selection, estimation, diagnosis, and validation

### Usage

```
call_dashboard(source.obj = NULL, target.obj = NULL, source.obj.rep = NULL)
```

### Arguments

source.obj an instantiated object of class `TEstimator`. The estimates of conditional average treatment effects are compared to those from `target.obj`.

target.obj an instantiated object of class `TEstimator`. The estimates of conditional average treatment effects are regarded as unbiased of truth.

source.obj.rep an instantiated object of class `SEstimator`. The estimates of conditional average treatment effects are compared to those from `target.obj`.

### Value

an interactive interface visualizing results of four steps

---

DGM *Generating RCT data or observational data for the examples used in the package*

---

### Description

Generating RCT data or observational data for the examples used in the package

### Usage

```
DGM(
  trial,
  n,
  var_name,
  p_success,
  tau,
  y0,
  log.ps = NULL,
  binary = FALSE,
  noise = 1,
  ...
)
```

### Arguments

trial	Logical indicating whether the treatment is randomly assigned in the generated data. If TRUE, RCT data is generated. Otherwise, observational data is generated.
n	A numeric value indicating the number of observations in the generated data
var_name	A character vector indicating the names of variables
p_success	the success probability of binary variables
tau	a character indicating the generation of the true treatment effect of each individual
y0	a character indicating the generation of the potential outcome under control
log.ps	a numeric value indicating the logit of propensity score
binary	logical indicating whether the outcome is binary or continuous variable
noise	a numeric value indicating the standard error of noise term of continuous outcome
...	an optional argument indicating pairwise correlations between variables

### Value

a data frame; column names are variables names, z, y

**Examples**

```

n_rct <- 500; n_rwd <- 500
var_name <- c("x1", "x2", "x3", "x4", "x5", "x6")
p_success_rct <- c(0.7, 0.9, 0.2, 0.3, 0.2, 0.3)
p_success_rwd <- c(0.2, 0.2, 0.8, 0.8, 0.7, 0.8)
tau <- "6*x2+x6+2"
y0 <- "x1"
log.ps <- "x1*x2+x3*x4+5*x5+x6"
rho1 <- c("x1", "x2", 0)
rho2 <- c("x2", "x3", 0)

target.data <- RCTrep::DGM(trial=TRUE, n_rct, var_name,
                           p_success_rct, tau, y0, log.ps=0,
                           binary = FALSE, noise=1, rho1, rho2)
source.data <- RCTrep::DGM(trial=FALSE, n_rwd, var_name,
                            p_success_rwd, tau, y0, log.ps,
                            binary = FALSE, noise=1, rho1, rho2)

```

Fusion

*Validation of estimates of conditional average treatment effects in objects of class TEstimator and SEstimator.*

**Description**

Validation of estimates of conditional average treatment effects in objects of class TEstimator and SEstimator.

Validation of estimates of conditional average treatment effects in objects of class TEstimator and SEstimator.

**Value**

an R6 object

**Methods****Public methods:**

- `Fusion$new()`
- `Fusion$plot()`
- `Fusion$print()`
- `Fusion$evaluate()`
- `Fusion$clone()`

**Method new():**

*Usage:*

```
Fusion$new(..., stratification = NULL, stratification_joint = NULL)
```

*Arguments:*

... objects of class TEstimator and SEstimator.

stratification a character vector specifying variables. The variables are used to select subgroups individually or in combination depending on stratification\_joint. Default value is NULL.

stratification\_joint a logical indicating if subgroups are selected based on levels of individual variable in stratification or levels of combined variables in stratification. Default value is NULL.

**Method plot():**

*Usage:*

Fusion\$plot()

**Method print():**

*Usage:*

Fusion\$print()

**Method evaluate():**

*Usage:*

Fusion\$evaluate()

**Method clone():** The objects of this class are cloneable with this method.

*Usage:*

Fusion\$clone(deep = FALSE)

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```
source.data <- RCTrep::source.data
target.data <- RCTrep::target.data

vars_name <- list(outcome_predictors = c("x1", "x2", "x3", "x4", "x5", "x6"),
                 treatment_name = c('z'),
                 outcome_name = c('y'))
)
selection_predictors <- c("x2", "x6")

source.obj <- TEstimator_wrapper(
  Estimator = "G_computation",
  data = source.data,
  vars_name = vars_name,
  outcome_method = "glm",
  outcome_form = y ~ x1 + x2 + x3 + z + z:x1 + z:x2 + z:x3 + z:x6,
  name = "RWD",
  data.public = FALSE
)
```

```

target.obj <- TEstimator_wrapper(
  Estimator = "Crude",
  data = target.data,
  vars_name = vars_name,
  name = "RCT",
  data.public = FALSE,
  isTrial = TRUE
)

strata <- c("x1", "x4")
source.rep.obj <- SEstimator_wrapper(Estimator = "Exact",
                                     target.obj = target.obj,
                                     source.obj = source.obj,
                                     selection_predictors =
                                       selection_predictors)
source.rep.obj$EstimateRep(stratification = strata, stratification_joint = TRUE)

fusion <- Fusion$new(target.obj,
                    source.obj,
                    source.rep.obj)

fusion$plot()
fusion$evaluate()

```

---

GenerateSyntheticData *Generating the synthetic RCT data given marginal distribution of each covariate*

---

## Description

Generating the synthetic RCT data given marginal distribution of each covariate

## Usage

```
GenerateSyntheticData(margin_dis, N, margin, var_name, pw.cor = 0)
```

## Arguments

margin_dis	a character indicating the distribution of each variable, allowable options are "bernoulli_categorical" and "bernoulli". If some variables have two categories and some have more than two categories, "bernoulli_categorical" should be specified; if all variables have two categories, "bernoulli" should be specified
N	a numeric value specifying the sample size for the simulated data
margin	a list containing the marginal distribution of variables; if margin_dis="bernoulli_categorical", then margin should be list(x1=c("x1",nlevels(x1),level1, level2,...,leveln, plevel1, plevel2,...,plevel3), x2=c("x2",...)); if margin_dis="bernoulli", margin=list(p(x1=1),p(x2=1),...,p(xn=1))

var_name	a vector indicating the name of variables, the order of variables should be aligned with margin
pw.cor	a vector specifying the pairwise correlations of the variables, default is 0; when margin_dis="bernoulli", then pw.cor must be specified.

**Value**

a data frame with columns names x1, x2,....

---

quasar.agg	<i>Aggregated data derived from paper of QUASAR trial</i>
------------	---

---

**Description**

Aggregated data derived from paper of QUASAR trial

**Usage**

```
quasar.agg
```

**Format**

An object of class list of length 5.

---

quasar.obj	<i>An object of class TEstimator_Synthetic using quasar.synthetic</i>
------------	---

---

**Description**

An object of class TEstimator\_Synthetic using quasar.synthetic

**Usage**

```
quasar.obj
```

**Format**

An object of class TEstimator\_Synthetic (inherits from TEstimator, R6) of length 15.

---

quasar.synthetic	<i>A synthetic QUASAR trial dataset, where outcome is a binary variable, treatment is a binary variable.</i>
------------------	--

---

### Description

A synthetic QUASAR trial dataset, where outcome is a binary variable, treatment is a binary variable.

### Usage

```
quasar.synthetic
```

### Format

```
## 'quasar.synthetic' A data frame with 5934 rows and 3 variables:
```

**Stage2** binary variable, 1 indicating stage 2 and 0 indicating stage 3

**male** binary variable, 1 indicating male and 0 indicating female

**age** categorical variable, 1 indicating [23,50], 2 indicating [50,59], 3 indicating [60,69], 4 indicating [70,86]

---

RCTREP	<i>Replicate treatment effect estimates obtained from a randomized control trial using observational data</i>
--------	---

---

### Description

The function RCTREP is used to validate the estimates of treatment effects obtained from observational data by comparing to estimates from a target randomized control trial. The function currently implements the following types of estimators of treatment effects: G\_computation, inverse propensity score weighting (IPW), and augmented propensity score weighting. The function implements the following three types of weighting estimators to compare the resulting estimates of treatment effects from RWD to the target RCT: exact matching weights, inverse selection probability weighting, and sub-classification. Since we regard the sample in the RCT as the target population, weights for each individual in observational data is  $p/(1-p)$  so that the weighted population of observational data is representative to the target population.

### Usage

```
RCTREP(
  TEstimator = "G_computation",
  SEstimator = "Exact",
  source.data = source.data,
  target.data = target.data,
```



```

source.name = "RWD",
target.name = "RCT",
vars_name,
selection_predictors,
outcome_method = "glm",
treatment_method = "glm",
weighting_method = "glm",
outcome_formula = NULL,
treatment_formula = NULL,
selection_formula = NULL,
stratification = NULL,
stratification_joint = FALSE,
strata_cut_source = NULL,
strata_cut_target = NULL,
two_models = FALSE,
data.public = TRUE,
...
)

```

## Arguments

<code>TEstimator</code>	A character specifying an estimator for conditional average treatment effects. The allowed estimators for <code>TEstimator</code> are: "G_computation", "IPW", and "DR". The corresponding object will be created by the wrapper function <code>TEstimator_wrapper()</code> . The default is "G_computation", which, along with <code>outcome_method="glm"</code> models the potential outcomes.
<code>SEstimator</code>	A character specifying an estimator for weight. The allowed estimators are: "Exact", "Subclass", "ISW". The default is "Exact", which, implements the exact matching on variables in <code>selection_predictors</code> to balance the population covariates between <code>source.data</code> and <code>target.data</code> .
<code>source.data</code>	A data frame containing variables named in <code>vars_name</code> and possible other variables. <code>source.obj</code> is instantiated using <code>source.data</code> .
<code>target.data</code>	A data frame containing variables named in <code>vars_name</code> and possible other variables. <code>target.obj</code> is instantiated using <code>target.data</code> .
<code>source.name</code>	A character indicating the name of <code>source.obj</code> .
<code>target.name</code>	A character indicating the name of <code>target.obj</code> .
<code>vars_name</code>	A list containing four vectors <code>outcome_predictors</code> , <code>treatment_name</code> , and <code>outcome_name</code> . <code>outcome_predictors</code> is a character vector containing the adjustment variables, which, along with <code>TEstimator</code> and the corresponding <code>outcome_method</code> or <code>treatment_method</code> to correct for confounding; <code>outcome_name</code> is a character vector of length one containing the variable name of outcome; <code>treatment_name</code> is a character vector of length one containing the variable name of treatment.
<code>selection_predictors</code>	a character vector specifying variable names. The weights are estimated based on the variables.

<code>outcome_method, treatment_method, weighting_method</code>	A character specifying model for outcome, treatment, and weight to use. Possible values are found using <code>names(getModelInfo())</code> . See <a href="http://topepo.github.io/caret/train-models-by-tag.html">http://topepo.github.io/caret/train-models-by-tag.html</a> .
<code>outcome_formula, treatment_formula, selection_formula</code>	An optional object of class <code>formula</code> describing the outcome model specification, treatment model specification, and selection model specification.
<code>stratification</code>	An optional character vector containing variables to select subgroups. <code>source.obj</code> will compute both weighted and unweighted average treatment effects of the subgroups, <code>target.obj</code> will calculate the average treatment effects of the subgroups.
<code>stratification_joint</code>	An optional logical indicating if the subgroups are selected based on levels of combined variables in <code>stratification</code> or levels of individual variable in <code>stratification</code> .
<code>strata_cut_source</code>	An optional list containing lists. Each component is a list with tag named by a variable in <code>source.data</code> to discretize, containing <code>break</code> which is a vector specifying the interval of range of the variable to divide, <code>label</code> which is a character vector specifying how to code value in the variable according to which interval they fall. The leftmost interval corresponds to level one, the next leftmost to level two and so on. This parameter is useful in the case we concern the integrated treatment effect conditioning on variables with multiple levels (for instance, continuous variable or ordinal variable with multiple levels). Note that we first model based on these continuous variables, then we discretize these variables according to <code>strata_cut</code> . The variables in <code>data</code> of <code>TEstimator</code> object are discretized, and the weight is calculated based on the discretized variables.
<code>strata_cut_target</code>	An optional list containing lists. Each component is a list with tag named by a variable in <code>target.data</code> to discretize.
<code>two_models</code>	An optional logical indicating whether potential outcomes should be modeled separately when <code>TEstimator="DR"</code> . Default is <code>FALSE</code> .
<code>data.public</code>	An optional logical indicating whether the data in the output objects are public. Default is <code>TRUE</code> .
<code>...</code>	An optional argument passed to <code>fit()</code> of each estimator object for model training and tuning. See <a href="https://topepo.github.io/caret/model-training-and-tuning.html">https://topepo.github.io/caret/model-training-and-tuning.html</a> for details.

## Details

An R6 object is constructed by a wrapper function `TEstimator_wrapper` and `SEstimator_wrapper` with user's input of data and estimators for treatment effect and weight. `TEstimator_wrapper()` returns initialized objects `source.obj` and `target.obj`. `SEstimator_wrapper()` weights the estimates of `source.obj` via the class method `RCTrep()`. The weights are computed using data in the source object `source.obj`, target object `target.obj`, and estimator of weights `SEstimator`.

**Value**

A list of length three with three R6 class objects, `source.obj`, `target.obj` and `source.rep.obj`

**Examples**

```
output <- RCTREP(TEstimator = "G_computation", SEstimator = "Exact",
  outcome_method = "BART",
  source.data = RCTrep::source.data[sample(dim(RCTrep::source.data)[1],500),],
  target.data = RCTrep::target.data[sample(dim(RCTrep::target.data)[1],500),],
  vars_name = list(outcome_predictors =
    c("x1", "x2", "x3", "x4", "x5", "x6"),
    treatment_name = c('z'),
    outcome_name = c('y')),
  selection_predictors = c("x2", "x6"),
  stratification = c("x1", "x3", "x4", "x5"),
  stratification_joint = TRUE)
output$target.obj
output$source.obj
output$source.rep.obj
```

---

SEstimator_wrapper	<i>Estimating the weighted conditional average treatment effects in source.obj based on input objects source.obj and target.obj of class TEstimator.</i>
--------------------	--

---

**Description**

Estimating the weighted conditional average treatment effects in `source.obj` based on input objects `source.obj` and `target.obj` of class `TEstimator`.

**Usage**

```
SEstimator_wrapper(
  Estimator,
  target.obj,
  source.obj,
  selection_predictors,
  method = "glm",
  sampling_formula = NULL,
  ...
)
```

**Arguments**

`Estimator` a character specifying an estimator for weight. The allowed estimators are "Exact", "ISW", and "Subclass".



---

source.binary.data	<i>A dataset of simulated observational data, where outcome is binary variable. The data is filtered after compared to target.binary.data</i>
--------------------	---

---

**Description**

A dataset of simulated observational data, where outcome is binary variable. The data is filtered after compared to target.binary.data

**Usage**

```
source.binary.data
```

**Format**

A data frame with 2624 rows and 9 variables.

**x1** binary variable,  $x1 \sim \text{rbinom}(5000,1,0.2)$

**x2** binary variable,  $x2 \sim \text{rbinom}(5000,1,0.2)$

**x3** binary variable,  $x3 \sim \text{rbinom}(5000,1,0.8)$

**x4** binary variable,  $x4 \sim \text{rbinom}(5000,1,0.8)$

**x5** binary variable,  $x5 \sim \text{rbinom}(5000,1,0.7)$

**x6** binary variable,  $x6 \sim \text{rbinom}(5000,1,0.8)$

**z** binary variable.  $pp = x1*x2+x3*x4+5*x5+x6$ ,  $p(z=1) = p = 1/(1+e^{-(pp-\text{mean}(pp))/\text{sd}(pp)*\text{sqrt}(3)/\pi})$ ,  
 $z \sim \text{rbinom}(5000,1,p)$

**y** binary variable.  $pp = x1 + (6*x2+x6+2)*z$ ,  $p(y=1) = p = 1/(1+e^{-(pp-\text{mean}(pp))/\text{sd}(pp)*\text{sqrt}(3)/\pi})$ ,  
 $y \sim \text{rbinom}(5000,1,p)$

**pt** a continuous variable within 0 and 1, specifying the probability of  $p(z=1)$  given  $x1,x2,x3,x4,x5,x6$

---

source.data	<i>A data set of simulated observational data, where outcome is continuous variable, treatment is a binary variable.</i>
-------------	--

---

**Description**

A data set of simulated observational data, where outcome is continuous variable, treatment is a binary variable.

**Usage**

```
source.data
```

**Format**

```
## 'source.data' A data frame with 5000 rows and 8 variables:

x1 binary variable, x1 ~ rbinom(5000,1,0.2)
x2 binary variable, x2 ~ rbinom(5000,1,0.2)
x3 binary variable, x3 ~ rbinom(5000,1,0.8)
x4 binary variable, x4 ~ rbinom(5000,1,0.8)
x5 binary variable, x5 ~ rbinom(5000,1,0.7)
x6 binary variable, x6 ~ rbinom(5000,1,0.8)
z binary variable indicating treatment and control. pp = x1*x2+x3*x4+5*x5+x6, p(z=1) = p =
  1/(1+e^-(pp-mean(pp))/sd(pp)*sqrt(3)/pi), z ~ rbinom(5000,1,p)
y continuous variable indicating outcome, y ~ x1 + 6*x2+x6+2*z + rnorm(5000,0,1)
```

---

target.binary.data	<i>A dataset of simulated RCT data, where outcome is binary variable. The data is filtered after compared to source.binary.data</i>
--------------------	---

---

**Description**

A dataset of simulated RCT data, where outcome is binary variable. The data is filtered after compared to source.binary.data

**Usage**

```
target.binary.data
```

**Format**

A data frame with 3194 rows and 9 variables.

```
x1 binary variable, x1 ~ rbinom(5000,1,0.7)
x2 binary variable, x2 ~ rbinom(5000,1,0.9)
x3 binary variable, x3 ~ rbinom(5000,1,0.2)
x4 binary variable, x4 ~ rbinom(5000,1,0.3)
x5 binary variable, x5 ~ rbinom(5000,1,0.2)
x6 binary variable, x6 ~ rbinom(5000,1,0.3)
z binary variable. pp = x1*x2+x3*x4+5*x5+x6, p(z=1) = p = 1/(1+exp^-(pp-mean(pp))/sd(pp)*sqrt(3)/pi),
  z ~ rbinom(5000,1,p)
y binary variable. pp = x1 + (6*x2+x6+2)*z, p(y=1) = p = 1/(1+exp^-(pp-mean(pp))/sd(pp)*sqrt(3)/pi),
  y ~ rbinom(5000,1,p)
pt a continuous variable within 0 and 1, specifying the probability of p(z=1) given x1,x2,x3,x4,x5,x6
```

---

target.data	<i>A data set of simulated RCT data, where outcome is continuous variable, treatment is a binary variable.</i>
-------------	--

---

**Description**

A data set of simulated RCT data, where outcome is continuous variable, treatment is a binary variable.

**Usage**

```
target.data
```

**Format**

```
## 'target.data' A data frame with 5000 rows and 8 variables:
```

```
x1 binary variable, x1 ~ rbinom(5000,1,0.7)
```

```
x2 binary variable, x2 ~ rbinom(5000,1,0.9)
```

```
x3 binary variable, x3 ~ rbinom(5000,1,0.2)
```

```
x4 binary variable, x4 ~ rbinom(5000,1,0.3)
```

```
x5 binary variable, x5 ~ rbinom(5000,1,0.2)
```

```
x6 binary variable, x6 ~ rbinom(5000,1,0.3)
```

```
z binary variable indicating treatment and control, z ~ rbinom(5000,1,0.5)
```

```
y continuous variable indicating outcome, y ~ x1 + 6*x2+x6+2*z + rnorm(5000,0,1)
```

---

TEstimator_wrapper	<i>Estimating conditional average treatment effects</i>
--------------------	---

---

**Description**

Estimating conditional average treatment effects

**Usage**

```
TEstimator_wrapper(  
  Estimator,  
  data,  
  vars_name,  
  name = "",  
  outcome_method = "glm",  
  treatment_method = "glm",  
  two_models = FALSE,  
  outcome_formula = NULL,
```

```

    treatment_formula = NULL,
    data.public = TRUE,
    isTrial = FALSE,
    strata_cut = NULL,
    ...
)

```

## Arguments

Estimator	A character specifying an estimator for conditional average treatment effects. The allowed estimators are: "G_computation", "IPW", and "DR". The corresponding object will be created by the function <code>TEstimator_wrapper()</code> . The default is "G_computation", which, along with <code>outcome_method="glm"</code> models the potential outcomes.
data	A data frame containing variables named in <code>vars_name</code> and possible other variables.
vars_name	A list containing four character vectors <code>outcome_predictors</code> , <code>treatment_name</code> , and <code>outcome_name</code> . <code>outcome_predictors</code> is a character vector containing the adjustment variables, which, along with <code>TEstimator</code> and the corresponding <code>outcome_method</code> or <code>treatment_method</code> to correct for confounding; <code>outcome_name</code> is a character vector of length one containing the name of outcome; <code>treatment_name</code> is a character vector of length one containing the name of treatment.
name	A character indicating the name of the output object
outcome_method	A character specifying a model for outcome. Possible values are found using <code>names(getModelInfo())</code> . See <a href="http://topepo.github.io/caret/train-models-by-tag.html">http://topepo.github.io/caret/train-models-by-tag.html</a> . Default is "glm".
treatment_method	A character specifying a model for treatment. Possible values are found using <code>names(getModelInfo())</code> . See <a href="http://topepo.github.io/caret/train-models-by-tag.html">http://topepo.github.io/caret/train-models-by-tag.html</a> . Default is "glm".
two_models	An optional logical indicating whether potential outcomes should be modeled separately when <code>TEstimator="DR"</code> . Default is FALSE.
outcome_formula	An optional object of class <code>formula</code> describing the outcome model specification when <code>Estimator="G_computation"</code> or <code>Estimator="DR"</code> .
treatment_formula	An optional object of class <code>formula</code> describing the treatment model specification when <code>Estimator="IPW"</code> or <code>Estimator="DR"</code>
data.public	An optional logical indicating whether individual-level data is public in the output object. Default is TRUE.
isTrial	An optional logical indicating whether the treatment assignment of data is random or unknown.
strata_cut	An optional list containing lists. Each component is a list with tag named by a variable in <code>data</code> to discretize, containing <code>break</code> which is a vector specifying the interval of range of the variable to divide, <code>label</code> which is a character



vector specifying how to code value in the variable according to which interval they fall. The leftmost interval corresponds to level one, the next leftmost to level two and so on. This parameter is useful in the case we concern the integrated treatment effect conditioning on variables with multiple levels (for instance, continuous variable or ordinal variable with multiple levels). Note that we first model based on these continuous variables, then we discretize these variables according to `strata_cut`. The variables in data of the output object are discretized.

... An optional argument passed to the private function `fit()` of each class for model training and tuning. See <https://topepo.github.io/caret/model-training-and-tuning.html> for details.

### Value

An object of class `TEstimator`.

### Examples

```
data <- RCTrep::source.data[sample(dim(RCTrep::source.data)[1],500),]
vars_name <- list(outcome_predictors = c("x1","x2","x3","x4","x5","x6"),
                 treatment_name = c('z'),
                 outcome_name = c('y'))

obj <- TEstimator_wrapper(
  Estimator = "G_computation",
  data = data,
  vars_name = vars_name,
  name = "RCT",
  data.public = TRUE,
  isTrial = FALSE)
```

# Index

## \* datasets

- quasar.agg, [7](#)
- quasar.obj, [7](#)
- quasar.synthetic, [8](#)
- source.binary.data, [13](#)
- source.data, [13](#)
- target.binary.data, [14](#)
- target.data, [15](#)

call\_dashboard, [2](#)

DGM, [3](#)

Fusion, [4](#)

GenerateSyntheticData, [6](#)

- quasar.agg, [7](#)
- quasar.obj, [7](#)
- quasar.synthetic, [8](#)

RCTREP, [8](#)

- SEstimator\_wrapper, [10](#), [11](#)
- source.binary.data, [13](#)
- source.data, [13](#)

- target.binary.data, [14](#)
- target.data, [15](#)

TEstimator\_wrapper, [10](#), [15](#)